


discharge data FNCVR-L types

Performance after prolonged float charge of fully charged cells

Vf 1.14 V/cell	C ₅ Ah	discharge time															
		1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
FNCVR 45 L	45	72.2	65.7	54.6	49.1	35.3	30.0	25.0	22.4	19.5	18.0	14.9	12.4	1.7	6.3	4.6	4.2
FNCVR 66 L	66	106.0	96.2	80.0	72.2	51.7	44.0	36.6	32.8	28.6	26.3	21.9	18.2	13.6	9.2	6.8	6.1
FNCVR 90 L	90	144.3	130.7	109.2	98.2	70.4	59.9	49.9	44.8	39.0	35.9	29.9	24.8	18.6	12.6	9.3	8.3
FNCVR110 L	110	176.8	159.9	133.3	120.3	86.1	73.3	61.0	54.7	47.7	43.9	36.5	30.4	22.7	15.4	11.3	10.2
FNCVR 132 L	132	211.9	191.8	159.9	143.7	103.7	87.8	73.0	65.6	57.3	52.7	43.9	36.5	27.3	18.4	13.6	12.2
FNCVR 154 L	154	247.7	224.3	186.6	167.7	120.6	102.3	85.8	76.3	66.8	61.5	51.2	42.6	31.8	21.5	15.8	14.3
FNCVR 176 L	176	282.8	256.1	213.2	191.8	137.6	117.5	97.8	87.8	76.2	70.3	58.4	48.7	36.3	24.6	18.1	16.3
FNCVR 198 L	198	317.9	288.0	240.5	215.8	155.2	132.0	109.9	98.6	85.7	78.8	65.8	54.7	40.8	27.6	20.3	18.4
FNCVR 222 L	222	269.1	251.6	224.3	208.7	155.8	131.3	109.2	97.9	87.0	80.9	67.6	56.2	42.0	28.8	21.2	18.9
FNCVR 259 L	259	314.0	293.2	262.0	243.8	247.1	153.1	128.0	114.8	101.3	94.4	79.0	65.6	49.0	33.6	24.7	22.1
FNCVR 296 L	296	358.8	335.4	299.7	278.9	208.0	175.6	146.1	131.0	115.6	108.6	89.9	75.0	55.9	38.5	28.2	25.3
FNCVR 333 L	333	404.3	377.0	336.7	313.3	234.1	197.3	164.2	147.2	129.9	122.1	101.5	84.5	63.0	43.3	31.7	28.4
FNCVR 370 L	370	449.2	419.3	374.4	348.4	260.1	219.1	182.2	163.4	144.8	135.6	112.4	93.3	70.0	48.1	35.2	31.6
FNCVR 407 L	407	494.0	460.9	411.5	382.9	285.6	240.9	201.0	179.6	159.1	149.1	124.0	102.9	77.0	52.9	38.7	34.7
FNCVR 444 L	444	538.9	503.1	449.2	418.0	311.7	262.7	219.1	196.4	173.4	162.6	134.9	112.5	83.8	57.7	42.2	37.9
FNCVR 481 L	481	583.7	544.7	486.2	453.1	337.7	285.1	237.2	212.6	188.4	176.1	146.5	122.0	90.6	62.5	45.7	41.0
FNCVR 518 L	518	628.6	587.0	523.9	487.5	363.8	306.9	255.3	228.8	202.6	189.6	157.3	130.8	98.2	67.3	49.2	44.2



discharge data FNCVR-L types

Performance after prolonged float charge of fully charged cells

Vf 1.10 V/cell	C5 Ah	discharge time															
		1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
FNCVR 45 L	45	88.3	79.9	67.2	61.5	46.1	39.5	33.2	29.9	26.3	24.0	19.3	15.6	11.2	7.6	5.5	4.5
FNCVR 66 L	66	129.3	116.8	98.7	90.4	67.7	58.1	48.6	43.8	38.5	35.2	28.3	22.8	16.5	11.1	8.0	6.5
FNCVR 90 L	90	175.8	159.2	134.1	123.0	92.4	78.8	66.3	59.7	52.5	48.0	38.6	31.1	22.5	15.1	11.0	8.9
FNCVR110 L	110	214.8	194.6	164.0	150.1	112.7	96.6	81.4	73.2	64.2	58.7	47.1	38.0	27.6	18.5	13.4	10.9
FNCVR 132 L	132	257.8	233.5	197.4	180.7	135.1	116.4	97.2	87.7	76.7	70.4	56.6	45.6	33.0	22.2	16.1	13.1
FNCVR 154 L	154	300.9	272.4	230.0	210.6	158.2	135.6	113.8	102.2	89.8	82.3	66.0	53.2	38.5	25.9	18.8	15.3
FNCVR 176 L	176	344.0	311.4	262.7	239.8	180.6	154.8	129.6	116.7	102.9	93.6	75.4	60.8	44.1	29.6	21.4	17.4
FNCVR 198 L	198	387.1	350.3	295.4	270.4	203.0	174.0	146.2	131.2	115.3	105.7	85.0	68.4	49.5	33.3	24.1	19.6
FNCVR 222 L	222	310.0	292.6	271.1	257.2	210.7	179.6	152.6	136.3	119.0	108.0	87.4	72.4	53.7	37.3	26.9	22.2
FNCVR 259 L	259	361.4	341.9	316.2	300.2	246.4	209.5	177.8	158.8	138.7	125.3	102.2	84.3	62.7	43.5	31.4	25.9
FNCVR 296 L	296	413.5	390.6	361.4	342.6	281.4	240.0	203.0	182.0	158.4	143.5	117.0	96.2	71.6	49.7	35.9	29.6
FNCVR 333 L	333	465.0	439.2	406.6	385.7	316.4	269.8	228.2	204.5	178.1	161.6	131.0	108.9	80.6	56.0	40.4	33.3
FNCVR 370 L	370	516.4	487.9	451.8	428.8	351.4	299.6	254.2	226.9	197.8	179.7	145.9	120.8	89.9	62.2	44.8	37.0
FNCVR 407 L	407	568.5	536.5	496.9	471.2	387.1	329.4	279.4	250.1	217.5	197.8	160.7	132.8	98.2	68.4	49.3	40.7
FNCVR 444 L	444	619.9	585.9	542.8	514.3	422.1	359.3	304.6	272.6	237.3	215.2	175.5	144.7	107.3	74.6	53.8	44.4
FNCVR 481 L	481	671.4	634.5	588.0	557.4	457.1	389.1	329.8	295.8	257.0	233.3	189.5	156.6	116.3	80.8	58.3	48.1
FNCVR 518 L	518	723.5	683.2	633.1	599.8	492.1	419.6	355.7	318.3	276.7	251.4	204.4	169.3	125.4	87.0	62.8	51.8

discharge data FNCVR-L types

Performance after prolonged float charge of fully charged cells



Vf 1.05 V/cell	C5 Ah	discharge time															
		1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
FNCVR 45 L	45	100.0	94.8	85.3	78.6	60.0	50.7	42.3	37.3	32.1	28.9	22.1	17.5	12.8	8.7	5.6	4.6
FNCVR 66 L	66	147.0	138.9	125.0	115.4	87.9	74.4	62.1	54.7	47.2	42.4	32.4	25.8	18.8	12.8	8.3	6.7
FNCVR 90 L	90	199.9	189.6	169.8	157.3	119.9	101.2	84.7	74.7	64.4	57.9	44.2	35.2	25.8	17.4	11.3	9.1
FNCVR110 L	110	244.8	231.5	208.0	192.6	146.8	123.8	103.8	91.6	78.8	70.8	54.0	43.0	31.5	21.3	13.8	11.1
FNCVR 132 L	132	294.0	277.8	249.2	230.8	175.8	148.7	124.4	109.3	94.4	85.1	64.8	51.6	37.8	25.6	16.5	13.4
FNCVR 154 L	154	342.5	324.1	291.1	269.7	205.6	173.7	145.0	127.8	110.0	98.8	75.7	60.2	44.0	29.8	19.3	15.6
FNCVR 176 L	176	391.8	370.4	332.2	308.0	234.7	198.6	165.6	146.3	125.6	113.4	86.5	68.7	50.3	34.1	22.1	17.8
FNCVR 198 L	198	440.3	416.7	374.1	346.2	263.7	223.5	186.2	164.0	141.2	127.2	97.4	77.3	56.6	38.3	24.8	20.0
FNCVR 222 L	222	346.9	335.9	316.8	304.3	269.7	237.1	196.9	173.3	149.0	134.5	105.8	85.4	63.2	43.2	28.2	23.1
FNCVR 259 L	259	405.0	391.8	369.7	355.0	314.4	276.3	229.7	202.5	173.9	157.1	123.5	99.8	73.8	50.4	32.9	26.9
FNCVR 296 L	296	463.1	447.6	422.6	405.7	359.1	315.6	262.5	231.0	198.1	179.0	141.1	113.5	84.3	57.6	37.6	30.8
FNCVR 333 L	333	521.1	503.5	474.8	456.4	404.5	355.6	295.3	260.3	223.1	201.7	158.8	128.1	94.6	64.8	42.3	34.6
FNCVR 370 L	370	578.4	559.3	527.7	507.2	449.2	394.9	328.1	288.8	248.0	224.4	176.4	142.8	105.6	72.0	47.1	38.5
FNCVR 407 L	407	636.5	615.2	580.7	557.9	493.9	434.1	360.9	318.0	273.0	247.1	194.0	156.5	115.6	79.2	51.8	42.3
FNCVR 444 L	444	694.6	671.1	633.6	608.6	539.4	474.1	393.7	346.5	298.0	268.9	211.7	171.1	126.5	86.4	56.5	46.2
FNCVR 481 L	481	752.6	727.7	686.5	660.0	584.1	513.4	426.5	375.8	322.9	291.6	229.3	184.9	137.4	93.6	61.2	50.0
FNCVR 518 L	518	810.0	783.5	738.7	710.7	628.8	552.7	459.3	404.3	347.1	314.3	247.0	199.5	147.4	101.0	65.9	53.9



AGV Battery Systems



Motive Power Systems



Telecom/IT Battery Systems



Railway Battery Systems



Power Supply




Standby



discharge data FNCVR-L types

Performance after prolonged float charge of fully charged cells

Vf 1.00 V/cell	C5 Ah	discharge time															
		1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
FNCVR 45 L	45	115.3	112.2	104.3	99.5	78.8	66.2	54.2	46.5	38.8	33.5	24.7	20.0	14.6	9.0	5.8	4.7
FNCVR 66 L	66	169.9	165.1	153.3	145.4	115.6	97.2	79.5	68.2	56.9	49.1	36.2	29.3	21.5	13.2	8.6	6.9
FNCVR 90 L	90	231.5	224.4	209.4	198.3	157.8	132.5	108.4	92.9	77.5	67.0	49.4	40.0	29.3	18.0	11.7	9.4
FNCVR110 L	110	282.8	274.9	256.0	242.5	192.9	162.2	132.7	114.1	94.6	81.9	60.3	48.9	35.8	22.0	14.3	11.5
FNCVR 132 L	132	338.9	329.4	307.3	290.7	231.1	194.3	159.4	136.1	113.7	98.6	72.5	58.7	43.0	26.4	17.2	13.8
FNCVR 154 L	154	395.8	384.7	357.9	339.7	269.4	226.4	185.3	158.9	132.8	115.0	84.5	68.4	50.1	30.8	20.0	16.1
FNCVR 176 L	176	451.9	439.2	409.2	387.9	308.4	258.6	212.0	181.7	151.9	131.5	96.3	78.2	57.3	35.2	22.9	18.4
FNCVR 198 L	198	508.8	494.5	460.6	436.9	346.7	291.5	238.7	204.6	171.0	147.1	108.9	88.0	64.4	39.6	25.7	20.7
FNCVR 222 L	222	414.0	400.5	378.4	370.5	340.3	300.3	251.6	221.7	185.1	160.9	122.4	99.2	72.1	44.4	28.8	23.7
FNCVR 259 L	259	482.7	467.7	441.6	432.1	396.9	350.9	293.7	258.4	215.8	187.7	143.1	115.3	84.2	51.8	33.6	27.6
FNCVR 296 L	296	552.2	534.8	504.8	494.5	453.5	400.7	335.7	295.0	246.5	214.5	162.9	132.3	96.2	59.2	38.4	31.6
FNCVR 333 L	333	620.9	601.2	568.0	556.2	510.1	451.3	377.8	332.5	277.2	242.2	183.6	148.4	108.0	66.6	43.3	35.5
FNCVR 370 L	370	689.7	668.3	630.4	617.8	566.7	501.1	419.1	369.2	307.9	269.0	204.3	164.4	120.0	74.0	48.1	39.5
FNCVR 407 L	407	759.2	734.7	693.6	679.4	623.3	550.9	461.1	405.9	338.6	295.8	224.1	181.4	132.0	81.4	52.9	43.4
FNCVR 444 L	444	827.9	801.9	756.8	741.0	680.6	601.4	503.2	443.4	369.4	322.6	244.8	197.5	144.0	88.8	57.7	47.4
FNCVR 481 L	481	896.7	868.2	820.0	803.4	737.2	651.2	545.3	480.0	400.1	349.5	265.5	214.5	156.0	86.2	62.5	51.3
FNCVR 518 L	518	966.2	935.4	883.2	865.1	793.8	701.8	587.3	516.7	431.6	376.3	285.3	22.7	168.0	104.0	67.3	55.2




discharge data

FNCVR-M types

Performance after prolonged float charge of fully charged cells

Vf	1.14 V/cell	old designation	new designation	discharge time																
				C ₅ Ah	1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
				discharge current in A																
		FNCVR 201 M	FNCVR 20 M	45	40.2	37.3	30.1	26.7	18.6	14.5	12.4	10.8	9.0	7.9	7.2	6.0	4.8	3.6	2.4	1.9
		FNCVR 202 M	FNCVR 40 M	66	80.4	74.4	60.2	53.5	37.2	29.1	24.7	21.6	18.0	15.9	14.2	11.8	9.6	7.3	4.7	3.8
		FNCVR 203 M	FNCVR 60 M	90	120.6	111.9	90.5	80.4	55.8	43.6	37.1	32.3	27.0	23.8	21.4	17.8	14.5	10.9	7.1	5.7
		FNCVR 204 M	FNCVR 80 M	110	160.8	148.7	120.6	107.2	74.4	58.2	49.5	43.1	36.0	31.7	28.5	23.7	19.3	14.5	9.5	7.6
		FNCVR 205 M	FNCVR 100 M	132	201.0	186.3	150.8	134.0	93.1	73.0	61.9	53.9	45.0	39.8	35.6	29.6	24.1	18.1	11.8	9.5
		FNCVR 206 M	FNCVR 120 M	154	241.2	223.1	180.9	160.8	111.9	87.1	74.5	64.7	54.0	47.7	42.8	35.6	28.9	21.8	14.2	11.4
		FNCVR 207 M	FNCVR 140 M	176	281.4	260.6	211.1	187.6	130.0	101.8	86.7	75.1	63.0	55.6	49.9	41.5	33.7	25.4	16.5	13.3
		FNCVR 208 M	FNCVR 160 M	198	321.6	297.5	241.2	213.7	148.7	116.6	98.8	86.1	71.8	63.6	57.0	47.4	38.5	29.0	18.9	15.3
		FNCVR 209 M	FNCVR 180 M	222	361.8	335.0	270.7	240.5	167.5	130.7	111.0	97.0	80.7	71.5	64.1	53.3	43.4	32.6	21.3	17.2
		FNCVR 306 M	FNCVR 200 M	259	401.3	343.7	270.7	236.5	179.6	143.4	115.8	97.7	82.8	73.6	72.1	60.3	49.3	36.8	24.1	19.8
		FNCVR 307 M	FNCVR 233 M	296	467.0	400.0	315.6	275.4	209.0	166.8	134.7	113.4	96.6	85.8	84.2	70.3	57.5	42.8	28.1	23.1
		FNCVR 308 M	FNCVR 266 M	333	533.3	456.9	359.8	314.2	239.2	190.3	154.4	129.8	109.7	98.0	96.1	80.4	65.5	48.9	32.1	26.3
		FNCVR 309 M	FNCVR 300 M	370	601.7	515.2	406.0	354.4	269.3	215.1	174.0	146.2	124.2	110.8	108.0	90.4	74.0	55.2	36.2	29.7
		FNCVR 409 M	FNCVR 340 M	407	630.5	530.0	379.9	327.6	227.8	180.9	154.4	134.6	118.0	107.3	91.6	85.8	77.7	59.5	39.7	32.8



discharge data

FNCVR-M types

Performance after prolonged float charge of fully charged cells

Vf	1.10 V/cell old designation	new designation	discharge time																
			C ₅ Ah	1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
			discharge current in A																
	FNCVR 201 M	FNCVR 20 M	20	55.6	45.7	37.1	34.2	23.6	20.0	17.2	15.1	12.0	10.3	9.0	7.5	5.6	3.8	2.4	2.0
	FNCVR 202 M	FNCVR 40 M	40	111.2	91.3	74.3	68.3	47.2	40.1	34.4	30.2	24.0	20.7	17.9	14.9	11.3	7.6	4.9	4.0
	FNCVR 203 M	FNCVR 60 M	60	167.1	137.4	111.2	102.7	70.7	60.1	51.6	45.2	36.0	31.0	26.9	22.4	16.9	11.4	7.3	5.9
	FNCVR 204 M	FNCVR 80 M	80	222.3	182.7	148.0	136.6	94.2	80.2	68.8	60.2	48.0	41.3	35.8	29.8	22.6	15.3	9.8	7.9
	FNCVR 205 M	FNCVR 100 M	100	278.2	228.7	185.5	170.6	117.5	100.1	86.2	75.4	60.0	51.6	44.8	37.2	28.3	19.1	12.2	9.9
	FNCVR 206 M	FNCVR 120 M	120	333.5	274.0	222.3	205.3	141.6	120.0	103.4	90.6	72.0	62.0	53.8	44.7	33.9	22.9	14.7	11.9
	FNCVR 207 M	FNCVR 140 M	140	389.4	320.0	259.1	239.3	165.0	140.6	120.6	105.1	83.8	72.3	62.7	52.1	39.6	26.7	17.1	13.8
	FNCVR 208 M	FNCVR 160 M	160	444.6	365.3	296.7	273.3	188.3	160.5	137.9	120.4	96.3	82.9	71.6	59.6	45.2	30.5	19.6	15.8
	FNCVR 209 M	FNCVR 180 M	180	500.6	411.3	333.5	307.3	212.4	180.3	154.4	135.6	108.0	92.9	80.8	67.0	50.9	34.3	22.0	17.8
	FNCVR 306 M	FNCVR 200 M	200	584.1	499.8	386.6	334.2	237.9	196.0	165.1	142.8	115.4	99.8	89.6	75.4	58.0	38.1	24.8	20.4
	FNCVR 307 M	FNCVR 233 M	233	680.4	582.7	450.3	389.4	276.8	228.6	187.7	166.8	134.5	116.0	104.8	88.0	67.5	44.4	28.9	23.7
	FNCVR 308 M	FNCVR 266 M	266	776.7	664.8	514.0	444.6	316.5	261.3	219.7	190.0	152.9	132.9	120.0	100.6	77.1	50.7	33.0	27.1
	FNCVR 309 M	FNCVR 300 M	300	875.8	750.5	579.9	501.3	356.8	294.7	247.7	214.6	172.7	149.8	135.2	113.1	87.0	57.2	37.3	30.5
	FNCVR 409 M	FNCVR 340 M	340	906.2	782.3	579.9	506.9	323.6	264.1	219.7	187.8	161.0	145.2	131.2	114.0	92.5	66.1	43.9	36.3




discharge data

FNCVR-M types

Performance after prolonged float charge of fully charged cells

Vf	1.05 V/cell old designation	new designation	discharge time																
			C ₅ Ah	1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
			discharge current in A																
	FNCVR 201 M	FNCVR 20 M	20	67.5	57.7	43.5	40.0	29.7	26.6	21.7	18.4	14.5	12.5	10.2	8.3	6.3	4.0	2.5	2.0
	FNCVR 202 M	FNCVR 40 M	40	115.5	87.0	80.3	59.4	52.8	43.2	36.6	28.6	23.8	19.6	15.6	11.4	7.9	5.1	4.1	#REF!
	FNCVR 203 M	FNCVR 60 M	60	202.5	173.3	130.5	120.0	89.3	80.0	65.1	55.2	43.6	37.6	30.6	24.9	19.0	11.9	7.6	6.1
	FNCVR 204 M	FNCVR 80 M	80	270.0	231.0	174.0	159.8	118.5	106.5	86.5	73.6	58.1	50.1	40.8	33.2	25.3	15.8	10.1	8.1
	FNCVR 205 M	FNCVR 100 M	100	337.5	288.8	217.5	200.3	148.5	132.9	108.5	92.3	72.6	62.7	51.1	41.5	31.7	19.8	12.6	10.2
	FNCVR 206 M	FNCVR 120 M	120	405.0	346.5	261.0	240.0	178.5	159.3	130.5	110.6	86.8	75.3	61.3	49.8	38.0	23.7	15.2	12.2
	FNCVR 207 M	FNCVR 140 M	140	472.5	403.5	304.5	279.8	207.8	185.7	151.8	128.9	101.5	87.5	71.5	58.1	44.3	27.7	17.7	14.2
	FNCVR 208 M	FNCVR 160 M	160	540.0	461.3	348.0	320.3	237.8	212.9	173.8	147.3	116.3	100.6	81.7	66.4	50.7	31.6	20.2	16.3
	FNCVR 209 M	FNCVR 180 M	180	607.5	519.0	391.5	360.0	267.0	239.3	195.8	165.6	131.0	112.9	91.8	74.7	57.0	35.6	22.7	18.3
	FNCVR 306 M	FNCVR 200 M	200	748.5	618.0	477.8	409.5	291.0	249.9	209.5	180.1	143.4	124.3	102.0	81.0	64.0	39.1	25.4	20.8
	FNCVR 307 M	FNCVR 233 M	233	872.3	720.0	556.5	477.0	339.0	291.4	243.6	209.8	166.6	144.8	119.0	94.5	74.6	45.5	29.6	24.3
	FNCVR 308 M	FNCVR 266 M	266	995.3	822.0	635.3	544.5	387.0	332.2	277.8	239.6	190.7	165.2	136.0	108.0	85.1	52.0	33.8	27.7
	FNCVR 309 M	FNCVR 300 M	300	1122.8	927.0	716.3	614.3	436.5	374.5	313.5	270.1	214.7	186.5	153.0	121.5	96.0	58.6	38.1	31.3
	FNCVR 409 M	FNCVR 340 M	340	1284.0	1083.0	812.3	702.0	450.8	374.5	313.5	270.1	224.0	199.6	166.6	140.4	110.0	68.9	45.7	37.7



discharge data

FNCVR-M types

Performance after prolonged float charge of fully charged cells

Vf	1.00 V/cell old designation	new designation	discharge time																
			C ₅ Ah	1sec	5sec	30sec	1min	5min	10min	15min	20min	30min	1hr	90min	2hr	3hr	5hr	8hr	10hr
			discharge current in A																
	FNCVR 201 M	FNCVR 20 M	20	84.8	72.7	55.2	50.3	38.3	33.7	27.4	23.1	17.5	14.5	11.6	9.6	6.6	4.1	2.6	2.1
	FNCVR 202 M	FNCVR 40 M	40	169.6	145.6	110.4	100.8	76.6	67.4	54.7	46.2	35.0	29.1	23.0	19.1	13.1	8.1	5.1	4.1
	FNCVR 203 M	FNCVR 60 M	60	254.4	218.4	165.6	151.2	115.2	100.8	82.4	69.3	52.5	43.5	34.6	28.7	19.7	12.2	7.7	6.2
	FNCVR 204 M	FNCVR 80 M	80	339.2	291.2	220.8	201.6	153.6	134.4	109.1	92.1	70.0	58.0	46.2	38.2	26.2	16.2	10.3	8.3
	FNCVR 205 M	FNCVR 100 M	100	424.8	364.0	276.0	251.2	191.2	168.0	136.6	115.7	87.2	72.6	57.6	47.8	32.8	20.3	12.9	10.4
	FNCVR 206 M	FNCVR 120 M	120	509.6	436.0	331.2	301.6	229.6	201.6	164.0	138.6	104.6	87.4	69.2	57.3	39.3	24.4	15.4	12.4
	FNCVR 207 M	FNCVR 140 M	140	594.4	508.8	386.4	352.0	268.0	236.0	191.5	161.4	122.8	101.2	80.8	66.9	45.9	28.4	18.0	14.5
	FNCVR 208 M	FNCVR 160 M	160	679.2	581.6	441.6	402.4	306.4	269.6	219.0	185.0	140.3	115.9	92.2	76.4	52.4	32.5	20.6	16.6
	FNCVR 209 M	FNCVR 180 M	180	764.0	654.4	496.8	452.8	344.8	303.2	246.4	207.8	157.7	130.6	103.6	86.0	59.0	36.5	23.2	18.6
	FNCVR 306 M	FNCVR 200 M	200	906.4	785.6	615.2	532.8	362.4	301.6	256.1	222.5	168.5	140.1	114.7	92.7	66.0	39.7	25.8	21.2
	FNCVR 307 M	FNCVR 233 M	233	1056.0	915.2	716.8	620.8	422.4	352.0	298.2	259.2	196.7	163.5	134.1	108.0	76.9	46.3	30.1	24.7
	FNCVR 308 M	FNCVR 266 M	266	1205.6	1044.8	818.4	708.8	481.6	401.6	340.2	295.8	224.1	186.0	152.6	123.0	87.8	52.8	34.3	28.2
	FNCVR 309 M	FNCVR 300 M	300	1360.0	1178.4	923.2	799.2	543.2	452.8	383.8	333.3	253.2	210.2	172.1	139.0	99.0	59.6	38.7	31.8
	FNCVR 409 M	FNCVR 340 M	340	1617.6	1360.0	1007.2	884.8	560.8	460.0	387.0	335.0	278.1	244.8	194.3	161.0	116.0	71.0	47.0	38.8